



COUNTY OF AMHERST

Department of Community Development

Division of Planning & Zoning

Dylan M. Bishop, Assistant Zoning Administrator/Planner

Site Plan Review Staff Report – March 21, 2019

RE: Proposed Car Wash

Tax Map Parcel No. 148-A-46B, 46D

4176 and 4196 S Amherst Hwy

Site Plan for Car Wash in the B-2 General Commercial District

Summary:

In accordance with Section 1103 of the Amherst County Zoning Ordinance, a major site plan has been submitted by Carter Engineering Consultants, Inc. for new construction of a car wash in Madison Heights, located at tax map parcels 148-A-46B and 46D. The parcels on which the car wash will be located currently comprises 1.02 acres. Copies of the plan were reviewed by the Developmental Review Committee on February 27, 2019. The following sections summarize staff and agency comments with respect to the major elements of the plan.

Procedure for Review:

According to Section 1007.08, any development requiring preparation of a site plan under Section 1103 may be reviewed and be made subject to approval by the Planning Commission. The Commission may approve, approve with modifications or conditions, or disapprove the site plan.

An approved site plan, zoning permit, and building permit must be obtained prior to construction of the proposed improvements.

Requirements and Findings:

Zoning

- The property is zoned B-2 General Commercial District. The property is currently home to Sid's Drive In restaurant, three additional structures, and three accessory structures.
- The property is not within the Amherst County protected watershed district or in the FEMA designated 100-year floodplain. Per the National Wetlands Inventory, there are no non-tidal wetlands present within the property.

Building(s)/Structure(s)

- The proposed car wash will be three lanes that narrow into one lane that will pass through the 3,376 square foot car wash structure.
- After exiting the car wash, vehicles will come out to 21 parking spaces with vacuums under two canopies one on the right and one on the left.
- There will be a screened dumpster enclosure at the north end of the site.
- All structures will meet setbacks outlined in Section 804.

Water/Sewer Facilities

- The property will be served by public water and sewer. The applicant is working with the Amherst County Service Authority on new water service connections.
- The existing septic system components will be abandoned in place as indicated by the Virginia Department of Health.

Streets/Parking and Loading Areas

- There are three existing graveled entrances that currently serve the lots.
- The existing entrances will be closed to accommodate the construction of two commercial access points – the southern access will be a one-way in while the northern access will be a one-way out.
- Parking requirements in Section 602 for a general business/commercial use are sufficiently met.

Sidewalks

 Sidewalks will be required along the frontage of South Amherst Highway per Section 606.

Utilities

• There are adequate existing utilities in place to serve the proposed project.

Signs

Any proposed signage will be approved with the necessary sign permits.

Outdoor Lighting

 Lighting facilities shall be so arranged that light is reflected away from adjacent properties and streets.

Buffering/Landscaping

- Street landscaping, parking lot landscaping, and tree canopy requirements in Article 16 are sufficiently met.
- No landscaping is permitted within 10 feet of the sanitary sewer easement that runs along the frontage of South Amherst Highway. Behind this easement will be a row of shrubs to screen parking from the road.

Erosion and Sediment Control/Stormwater

- A formal Erosion and Sediment Control Plan has been submitted to the County for review.
- Should land disturbance on the site exceed one acre, a Stormwater Management Plan will be required to be submitted for review to the Department of Environmental Quality.

Recommendations:

Staff recommends approval of the proposed site plan with the following conditions:

- 1. Amherst County Service Authority approval of the site plan.
- 2. Virginia Department of Transportation approval of the site plan.
- 3. Approval of the Erosion and Sediment Control Plan.
- 4. Department of Environmental Quality approval of the Stormwater Management Plan (if applicable).

Attachments:

Site Plan Application DRC Comments (February 27, 2018) Tax Parcel Map Site Plan



JAN 24 REO'D

APPLICATION FOR SITE PLAN Amherst County, Virginia

Section A: Applicant Information 2019-036 (Please print in blue or black ink) Case No. Carter Jeff Last (Name of Applicant) First MI 3651 Mars Hill Road, Suite 2000, Watkinsville, GA 30677 Mailing Address 770-725-1200 Telephone Number (s) Home Business Lois Connelly (Parcel ID 148 A 46B), William Carrico and Dolly Coleman (Parcel ID 148 A 46D) Property Owner Name 4176, 4180, 4196 S Amherst Highway, Madison Heights, VA 24572 Property Address Proposed car wash WCWV, LLC Name of Development Name of Developer Jeff Carter, P.E. Carter Engineering Consultants, Inc. Person Preparing Plan Name of Company/Firm Sid's Drive In, Ye Olde Antique Station Location of Property (landmarks, intersections, or other) Tax Parcel ID#: 148 A 46B, 148 A 46D Deed Book: DB 832, DB 588 Page Number: PG 217, PG 515 Please note: A site plan of the property must be submitted with this application, in accordance with Article XI of the Amherst County Zoning/Subdivision Ordinance.

Section B: Plan Informa	tı	or
-------------------------	----	----

(Please answer all questions as completely as possible)

Public water	rovided with water and sewer? (Check all that apply) Private wells
Public sewer	On-site septic systems Mass drainfield(s)
Zoning: B-2	Comprehensive Plan Land Use Designation: Commercial
Magisterial District:EL	

Total area of lot: 1.26 acres
Total area of open space/common areas:0acres
Total area of streets: 0 acres
Will a property owners' association be created for maintenance of open-space areas or common areas? N/A
Is the parcel located within the Watershed District? YES NO
Are there any covenants of record or deed restrictions existing or proposed for the subject property: If so, please attach a copy. YES NO
Is a stormwater maintenance agreement required? YES NO
Does the site plan require VDOT, Chapter 527 review? YES NO
Is a Section 15.2-2232 review required for the project? YES NO If yes, please attach justification that the general location or approximate location, character, and extent of the project is substantially in accord with the County's adopted comprehensive plan.
ADDITIONAL COMMENTS (To be completed by the owner/applicant):
Please complete and submit the attached site plan checklist along with thirteen (13) copies* of the site plan containing all information listed on the checklist. All items listed must appear on the site plan.
Section C: Signature
I do hereby certify that I have read and am familiar with the requirements for the submission of plats as provided for under the Subdivision Ordinance of the Code of Amherst County and further that this submittal is in compliance with those requirements.
Applicant's Signature
Date

Amherst County Site Plan Checklist

Site Plan Information:
(A) Site plans shall be submitted at a scale of not less than one (1) inch equal one hundred (100) feet.
(B) Two (2) clearly legible blue-line or black-line copies of the site plan shall b submitted.
(C) The names and addresses of owner and developer and a scale and north arrow shall be included on all maps.
The following information shall be included on the map of existing conditions:
(1) Names and addresses of owners of record of all adjacent properties.
(2) Current zoning boundaries, including surrounding areas to a distance of three hundred (300) feet.
(3) Easements, rights-of-way, or other reservations affecting the property.
(4) Topography.
(5) Location of watercourses, marshes, rock out-cropping and wooded areas.
(6) Location of buildings existing on the tract to be developed and on adjacent tracts within a distance of one hundred (100) feet, indicating whether existing buildings on the tract are to be retained, modified or removed.
(7) Location of existing water mains, culverts, drains, pipe sizes, grades and direction of flow.
The following information shall be included on the map of proposed development:
(1) Erosion control measures as regulated by the county's Soil Erosion and Sedimentation Control Ordinance.
Location and size of proposed buildings and uses thereof.
3) Proposed topography.
4) Proposed streets and other access and egress facilities (including curb lines, idewalk lines and public right-of-way lines); profiles and cross-sections of streets, provided the specifications of Section 33.1-198 of the Code of Virginia, 950, as amended, and the Minimum Standards of Entrances to the State lighways are met and said proposal shall be approved by the resident engineer.
5) Layout of off-street parking.
5) Location of proposed utility lines, indicating where they already exist and thether they will be underground.

(7) Proposed storm and sanitary drainage systems, both surface and subsurface, showing pipe sizes, grades flow and design loads.

<u> </u>	(8) ligh
	(9) exi
<u> </u>	(10
<u> </u>	(11
- <u> </u>	(12
	(13 incl pro
	the
<u> </u>	(14 por
	dist

- (8) Proposed location, direction of, power, and the time and use of outdoor lighting.
- (9) Proposed planting, including all landscaping and screening, and indicating existing trees to be retained and areas to be left undisturbed.
- (10) Location, size and design of proposed signs.
- (11) Facilities for disposal of trash and other solid waste.
- (12) Elevation of buildings to be built or altered on site.
- (13) Vicinity map at a scale no smaller than six hundred (600) feet to one (1) inch, showing all streets and property within one thousand (1,000) feet of the property for which the application is made. All properties owned or controlled by the applicant in this area shall be identified.
- (14) All special site plan requirements of Section 710 must be shown for those portions of the property located within any primary or secondary watershed district. This information shall include tributary buffer strips, drain field and reserve drain field spaces, reservoir setbacks and buffer strip restriction statements, minimum septic tank maintenance standards and storm water management facilities.
- (15) All private waste disposal systems including their reserve areas be located on the same property as the building site that the private waste disposal system benefits. Mass drain fields may not be subject to this proposal.







Department of Community Development

Division of Planning & Zoning

TELEPHONE (434) 946-9303

FAX (434) 946-9370

AMHERST COUNTY ADMINISTRATION BUILDING 153 WASHINGTON STREET P. O. Box 390 AMHERST, VIRGINIA 24521

February 27, 2019

SENT VIA E-MAIL

Carter Engineering Consultants, Inc. Attn: Jeff Carter, P.E. 3651 Mars Hill Road, Suite 2000 Watkinsville, GA 30677

RE: Site Plan #2019-037 for Car Wash in the B-2 General Commercial District; 4176 and 4196 S. Amherst Hwy; Tax Map Parcel # 148-A-46B, 46D

The following comments need to be addressed regarding planning and zoning:

- Per Section 1104.02.4.b, show the current zoning of the adjoining owners on the map of existing conditions (Sheet 2).
- 2. Per Section 1104.02.5.a, include on the cover sheet signature blocks for the zoning administrator, Virginia Department of Transportation, Amherst County Service Authority, and Erosion and Sediment Control Administrator.
- 3. Per Section 1104.03.3.e, proposed location, size, and design of signs can be included on the plan set.
- 4. Per Section 1104.03.3.j, indicate proposed location, direction of, power, time and use of outdoor lighting.
- 5. Per Section 1104.03.3.m, include the construction of a sidewalk in the plans (Section 606).

A set of five (5) revised plans are due back to this office on March 8, 2019 by noon in order for the request to be heard at the March 21, 2019 Planning Commission meeting.

Please contact the Planning & Zoning Division with questions or comments at (434) 946-9303 or via email at dmbishop@countyofamherst.com.

Sincerely,

Dylan M. Bishop

Assistant Zoning Administrator/Planner



RE: [EXTERNAL] DRC Tomorrow Pen Read III

to:

dmbishop@CountyOfAmherst.com 02/26/2019 12:00 PM

Hide Details

From: Pen Read III < jpread@aep.com>

To: "dmbishop@CountyOfAmherst.com" <dmbishop@CountyOfAmherst.com>

2 Attachments





image003.png image004.jpg

Dylan:

Due to a meeting I have in Christiansburg tomorrow, I'll be unable to attend DRC tomorrow. However, I have looked at the site plans as well as our distribution maps, and we have adequate facilities in place along the property across from Walmart to serve the carwash. Three phase service is available if required for the project. As always, please encourage the developer to apply as early as possible for service so one of our technicians can meet at the site to discuss options – especially if proposed vehicle access to the carwash is going to require any relocation of our poles and devices.

Thanks!



J. P. (PEN) READ III | CUST SVCS ACCT REP SR

<u>JPREAD@AEP.COM</u> | 434-522-4339 4001 MAYFLOWER DRIVE, LYNCHBURG, VA 24501

From: dmbishop@CountyOfAmherst.com [mailto:dmbishop@CountyOfAmherst.com]

Sent: Tuesday, February 26, 2019 11:18 AM

To: rhopkins@acsava.com; JefferyB.Kessler@VDOT.Virginia.gov; Lewis, Sarah (VDH);

sabryant@countyofamherst.com; calvin.k.johnson@verizon.com; Pen Read III; jsbryant@CountyOfAmherst.com;

nmyoung@CountyOfAmherst.com

Cc: sgstinnett@CountyOfAmherst.com



Re: DRC Tomorrow Lewis, Sarah

dmbishop

02/28/2019 02:19 PM

Hide Details

From: "Lewis, Sarah" <sarah.lewis@vdh.virginia.gov>

To: dmbishop@countyofamherst.com

4					
	Λ	tta	ah	122	ant
1	Γ	ua		ш	ent

noname

Hello Dylan,

Just to follow up with my comments from yesterday. It is acceptable to abandon the existing septic system components in place. If there are any old wells to be found on the property, we would ask that the owner apply for a well abandonment permit to properly abandon the well to protect groundwater. I understand that there is no knowledge of an existing well at this time. The new development is to be served by public water and public sewer.

Thank you,

On Tue, Feb 26, 2019 at 11:24 AM < dmbishop@countyofamherst.com> wrote: Good afternoon.

Just a reminder that we will have DRC tomorrow morning at 9am in the Administration Conference Room.

Please bring or send me your comments for the car wash and let me know if you will not be able to make it.

Thanks,

Dylan M. Bishop, Assistant Zoning Administrator/Planner Amherst County Community Development P.O. Box 390 Amherst, Va 24521 Notes for February 27, 2019 Amherst County Development Review Committee

W4 Development Car Wash at 4180 S. Amherst Hwy.

James Carter, P.E. Carter Engineering Consultants, Watkinsville, GA.

Initial Comments for Jan. 21, 2019 Site Plan

- 1. VDOT accepted entrance site plan and entrance permit is required.
- 2. A VDOT Access Management Exception (AM-E) for commercial entrance spacing is required.
 - a. Form AM-E
 - b. Site Plan show existing and proposed entrances
 - c. Entrance location(s) measured location to closest intersection, and to the closest adjoining commercial entrances.
 - d. Measured sight distances (SSD & ISD) along with Posted Speed Limit
 - e. ITE Trip Generation (Daily and Peak Hour)
- 3. Utilize VDOT Site Plan Check List to address VDOT's requirements (Handout)
- 4. Utilize VDOT Site Plan General Notes (Handout)
- 5. Maintenance of Traffic Plan Required (Handout)
- 6. Specific Observations
 - a. Entrance type (CG-11) width (16-20 Ft) & radii (25 Min.) for one way (RDM Appdx. F.)
 - b. Designate Design Vehicle & provide Turn Templates
 - c. Require entrance profile and spot elevations
 - d. CG-12 and sidewalk (4' buffer & 5' sidewalk)
 - e. Include VDOT ROW and permanent easement
 - f. Analysis for vehicle queue storage capacity and flow time (no blocking Route 29 B.)
- 7. Additional Comments upon further reviews
- 8. VDOT will require electronic copy for review.

Minimum Components of Maintenance of Traffic (MOT) Plan

The following items need be included as part of the MOT Plan Submitted to VDOT:

- Narrative description of work activity to be performed.
- Routes where work is to be performed.
- Time of day when work is to be performed.*
- Projected number of days required to complete the work covered under permit involving traffic control.
- Statement acknowledging the contractor's responsibility to notify SW Region Traffic Operations Center (540-375-0170) daily upon entering and exiting the roadway.
- Statement acknowledging the contractor's responsibility to contact VDOT Traffic Engineering Section (James Holt 434-856-8158) a minimum of 7 day prior to commencement of installation activities within 1,000 feet of signalized intersections, flashing signs, or other VDOT electrical facilities. This includes excavation, trenching, or boring.
- Statement acknowledging the contractor's responsibility to contact VDOT Land Use Section Representative, Jeff Kessler (434.856.8293), prior to commencing work within VDOT right-of-way.
- Name and contact information for contractor's field supervisor.
- Method of traffic control to be utilized. References to the applicable April 2015 Revision to the 2011 Virginia Work Area Protection Manual (VWAPM) Typical Traffic Control (TTC) figures and notes shall be provided. Include traffic control for any intersecting streets affected. Additional details may be required depending on complexity of the work activity and specific work zone needs.

 Website: http://www.virginiadot.org/business/resources/wztc/Virginia_WAPM_2011_web.pdf
- Statement of verification that all traffic control devices used conform to the 2009 Manual on Uniform Traffic Control Devices (MUTCD), the Virginia Supplement to The 2009 Manual on Uniform Traffic Control Devices for Streets and Highways 2011 Edition, and National Cooperative Highway Research Program (NCHRP) Report 350. NCHRP 350Website: www.virginiadot.org/business/locdes/nchrp350-index.asp MUTCD Website: http://mutcd.fhwa.dot.gov/
- Identification of provisions that will be taken to ensure the safe passage of emergency vehicles at all times.
- Statement acknowledging that work zones requiring flagging operations at signalized intersections shall involve coordination with law enforcement agencies and VDOT prior to work commencing.
- *VDOT Land Use Regulations require that work be performed during non-peak hours of 9:00 AM to 3:30 PM Monday Friday on all public roads classified as "arterial" or "collector", unless otherwise approved by VDOT. All public roads classified as "local" roads shall have unrestricted work hours and days. Permitted nonemergency work will not be allowed on public roads classified as "arterial" or "collector" from noon on the preceding weekday through the following state observed holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, and Christmas Day



AMHERST COUNTY SERVICE AUTHORITY

P. O. BOX 100 MADISON HEIGHTS, VA 24572-0100 PHONE (434) 845-1605 FAX (434) 845-1613

February 24, 2019

Ms. Dylan M. Bishop Assistant Zoning Administrator/Planner Amherst County Dept. of Community Development PO Box 390 Amherst, VA 24521

RE: W4 Development Carwash Site Plan Review

Dear Ms. Bishop:

In response to your request, I have reviewed the referenced plan. For your use and forwarding to the applicant, the following comments are provided:

- 1. Sht. 1: Note 22 should be revised to delete "CITY'S" and replace it with "AMHERST COUNTY SERVICE AUTHORITY'S".
- 2. All plan sheets: A legend describing all symbols and abbreviations on the plan should be added. What is "MNS"?
- 3. Sht. 2: An existing water meter is shown, with no indication of the service lines to and from it and no indication as to its intended use. Is it to be removed or remain in service?
- 4. Sht. 2: The existing public sanitary sewer is continuous across the entire property frontage, but is not shown across the property with the two Rte 29 entrances. Are there no sewer manholes along this long stretch of sewer?
- 5. Sht. 2: The three existing signs (one in front of the 2 story building and two at the southern limits of the asphalt near Rte 29) appear to encroach into the public sewer easement along the site frontage and will need to be removed.
- 6. Sht. 3: What is the dashed line, shaded rhombus along the site frontage, just south of the north entrance?
- 7. Sht. 3: If the existing water meter is to remain in service, the lines to and from it should be shown on the plan.
- 8. Sht. 4: Details, product information, and design information regarding the 750 gal. oil-water separator need to be submitted.
- 9. Sht. 4: A cleanout needs to be added to the new 6" sanitary sewer service at the Rte 29 right-of-way line.
- 10. Sht. 4: Provide a detail of the new 6" sewer connection to the existing manhole, for ACSA's use in making the connection and setting the cleanout, and to show no conflict with the existing public sewer main.
- 11. Sht. 4: If the existing water meter is to remain in service, the lines to and from it should be shown on the plan.

- 12. Sht. 4: A water meter needs to be added to the new 2" water service at the Rte 29 right-of-way line.
- 13. Sht. 4: A traffic control plan for the bored-jacked installation of the new 2" water service beneath Rte 29 needs to be added to the plan set.
- 14. Sht. 4: The following notes need to be added:
 - The contractor shall not disturb or operate any public water or sewer facilities, but shall call Amherst County Service Authority. Contact is Bob Hopkins, Director of Public Utilities, 434-221-8757.
 - 2. The new 2" water service from the main to the water meter at the Rte 29 right-of-way line shall be installed by Amherst County Service Authority.
 - 3. The new 6" sewer service from the main to the new cleanout at the Rte 29 right-of-way line shall be installed by Amherst County Service Authority.
 - 4. All work to be performed in the public road rights-of-way or public utility easements regarding water and sewer utilities must be completed in accordance with the current ACSA Master Specifications.
 - 5. The contractor is responsible for any damage to public water and sewer facilities resulting from the construction.
- 15. Sht. 4: The new 6" sewer service from the manhole to the new cleanout at the Rte 29 right-of-way line shall be installed by Amherst County Service Authority. The applicant shall provide all information required for the installation. Costs of the new connection, including availability fee, if applicable, shall be paid by the applicant.
- 16. Sht. 4: The new 2" water service from the existing public water main to the new water meter at the Rte 29 right-of-way line shall be installed by Amherst County Service Authority. The applicant shall provide all information required for the installation. Costs of the new connection, including availability fee, if applicable, shall be paid by the applicant.
- 17. Sht. 4: The irrigation water service requires a separate water connection on the public line installed by Amherst County. The applicant shall provide all information required for the installation. Costs of the new connection, including availability fee, if applicable, shall be paid by the applicant. The applicant should be advised that central Virginia annual rainfall is typically sufficient to preclude the need for onsite irrigation.
- 18. Sht. 11: Product information, including design calculations, maintenance requirements, etc. regarding the oil-water separator needs to be submitted for review and approval by ACSA.
- 19. Sht. 11: Product information, including design calculations, maintenance requirements, etc. regarding the car wash water reclaim system needs to be submitted for review and approval by ACSA.
- 20. Sht. 11: The HDPE Manhole Pipe Connection Detail can be deleted; ACSA is responsible for the new sewer service from the manhole to the new cleanout.
- 21. The applicant is advised to obtain a current copy of the ACSA Master Specifications, to ensure that all such work is shown in conformance with ACSA requirements (contact Mr. Mike Wilson, PE, Hurt & Proffitt, Inc., 434-546-6156).
- 22. The following details from the ACSA Master Specifications Manual need to be added to the plan set and implemented by the construction:
 - BP-3 Backflow Preventer, Reduced Pressure Zone, for Landscape Irrigation (if still applicable)
 - CO-2 Sanitary Cleanout, Type 2
 - CS-1 Sealed Casing Installation Spider
 - CS-2 Typical Water or Sewer Main Location Within VDOT Right-of-Way
 - M-2 Meter Installation, 1½" and 2"

- 22. Sht. 14: No landscaping is permitted within the 10' of the public sewer main along the site frontage. In addition, woody vegetation must be sited so that its canopy extent (and thus its root system) is also at least 10' from the sewer pipe.
- 23. Any required fees pertaining to water and sewer services will be determined with the submittal of final plans.
- 22. All work from the water meter and the sanitary sewer cleanout to the building will be the owner's responsibility.

Thank you for the opportunity to review the plan. Please contact me if there are any questions.

Sincerely,

AMHERST COUNTY SERVICE AUTHORITY

Robert A. Hopkins, PE

Director of Public Utilities



The GIS data is proprietary to the County, and title to this information remains in the County. All applicable common law and statutory rights in the GIS data including, but not limited to, rights in copyright, shall and will remain the property of the County. Information shown on these maps are derived from public records that are constantly undergoing change and do not replace a site survey, and is not warranted for content or accuracy.

0.06

0.12 km

0

0.03

SITE DEVELOPMENT

PLANS

SHEET NO.

DESCRIPTION

COVER SHEET

EXISTING CONDITIONS & DEMO PLAN
MAINTENANCE OF TRAFFIC PLAN

SITE PLAN

SITE PLAN - TURN TEMPLATE

SHEET INDEX

FOR

W4 DEVELOPMENT **CAR WASH**

W4 DEVELOPMENT

LANDSCAPE PLAN ADA ACCESS PLAN

EROSION CONTROL PLAN - PHASE II
EROSION CONTROL PLAN - PHASE III
EROSION CONTROL DETAILS

EROSION CONTROL PLAN - PHASE I GRADING & DRAINAGE PLAN STORMWATER MANAGEMENT DETAILS

PROJECT LOCATION

4180 S AMHERST HWY & 4176 S AMHERST HWY MADISON HEIGHTS, AMHERST COUNTY VIRGINIA 24572

TAX PARCEL ID # 148 A 46B

JANUARY 21, 2019

03.08.2019 INITIAL SUBMITTAL
03.08.2019 ADDRESS COUNTY COMMENTS

DATE

DESCRIPTION

REVISION BLOCK





Project Tract = 1.02 acres
Disturbed area = 1.02 acres CONNECTION COORDINATES N 37°27'45.4" W 79°07'08.7"


Gather Engineering Consultant State Projecting State 2000 (M 2007) Warkinsville, CA 30677 Pr. 770-725-1204 www.carterengineering.net





24-HOUR CONTACT: Ben Doster (678) 977-5497 COUNTY APPROVALS The Man






































18001W4D


03/08/19



GRADE SURFACE







W4 DEVELOPMENT 03/08/19 18001W4D ADA DETAILS 13

SITE DEVELOPMENT PLANS for W4 DEVELOPMENT 4180 & 4176 5 AMHERST LIVY, MADISON HEIGHTS, AMHERST COUNTY, VA





RE	VISION B	LDCK	
	DATE	DISCRIPTION	
1	C1.21.18	METIAL SUBMITTAE	
2	03.06.19	ADDRESS COUNTY COMMENTS	

